

FIXED IMPLANT LABORATORY PROCEDURE PRESCRIPTION

REQUIRED INFORMATION

Doctor Name _____
Practice Name/ID _____
Address _____
Phone _____
Patient Name _____
Patient Chart No. _____ M F Age _____
Rx Date _____
Due Date/Deliver case by 5pm on _____ (Standard working time if no date given.)

Case turnaround times are based on the date the prescription is received at Treasure Dental Studio.
Please allow 12 business days (M-F) from that date. Custom milled abutments will add another 5 days for completion.

IMPLANT SYSTEM

Nobel Biocare Zimmer Ankylos Astra Tech Other: _____
 Straumann Implant Direct Camlog 3i Biomet _____

ABUTMENT TYPE


Dr. Supplied Stock _____	Stock Zirconia _____	Other: _____
Stock Titanium _____	Milled Zirconia _____	
BruxZir SR _____	Milled Titanium _____	

CROWN TYPE

Ceramic:
 IPS e.max
 IPS e.max S.R.
 Porc. to Zirconia
 BruxZir
 BruxZir to S.R.

Shade: _____

Porcelain Fused to:
 Gold
 High Noble
 Noble
 Other: _____



MARGIN POSITION OPTIONS

- At Gingival Crest**
No crown impingement at all against tissue.
- One Millimeter Buccal (default)**
Abutment margin placed 1mm below tissue on buccal. 0.5mm on mesial/distal and at gingival crest on lingual.
- Optimized Emergence**
Abutment margin placed as close to interface as possible. Possible extreme tissue impingement. Surgical relief may be required to seat crown.

CASE DESIGN

4. Your Design Specifications

Design your margin position with diagram.

- Buccal _____
- Mesial _____
- Distal _____
- Lingual _____



EMERGENCE WIDTH OPTIONS

- Full Anatomical Dimensions**
Largest diameter abutment provided with best emergence profile possible. A surgical incision for placement may be required.
- Contour Soft Tissue (default)**
Medium diameter anatomically shaped abutment up to 1.0mm larger than the sulcus of model of soft tissue provided.
- Tissue Support**
Anatomically shaped abutment will be up to 0.2mm larger than sulcus of silicone model of soft tissue provided with desired emergence profile. "Easy" insertion.
- No Tissue Displacement**
Abutment with no soft tissue support. The abutment will not touch the soft tissue or stone model of the soft tissue provided.

IMPLANT SPECS.

Diam. of Implant _____
Style of Implant _____

RETRIEVABILITY

Cement Retained _____
Screw Retained _____

RX INSTRUCTIONS

Dentist signature*

Dentist license number

Send photos and emails to photos@treasuredentalstudio.com